

Room area. Every living room shall contain at least 120 square feet and every bedroom shall contain at least 70 square feet.

Prohibited occupancy. Kitchens and non-habitable spaces shall not be used for sleeping purposes.

Overcrowding. The number of persons occupying a dwelling unit shall not create conditions that, in the opinion of the code official, endanger the life, health, safety or welfare of the occupants.

Food preparation. All spaces to be occupied for food preparation purposes shall contain suitable space and equipment to store, prepare and serve foods in a sanitary manner.

Minimum fixtures. Every dwelling unit shall contain its own bathtub or shower, lavatory, water closet and kitchen sink which shall be maintained in a sanitary, safe working condition. The lavatory shall be placed in the same room as the water closet is located. A kitchen sink shall not be used as a substitute for the required lavatory. All plumbing fixtures shall be properly installed and maintained in working order, and shall be kept free from obstructions, leaks and defects and be capable of performing the function for which such plumbing fixtures are designed. Plumbing fixtures shall have adequate clearances for usage and cleaning. All kitchen sinks, lavatories, laundry facilities, bathtubs and showers shall be supplied with hot and cold running water.

General. All plumbing fixtures shall be properly connected to either a public sewer system or to an approved private sewage disposal system.

Water heating facilities. Water heating facilities shall be properly installed, maintained and capable of providing an adequate amount of water to be drawn at every required sink, lavatory, bathtub, shower and laundry facility at a temperature of not less than 110°F. A gas-burning water heater shall not be located in any bathroom, toilet room, bedroom or other occupied room normally kept closed, unless adequate combustion air is provided. An approved combination temperature and pressure-relief (TPR) valve and relief valve discharge pipe shall be properly installed and maintained on water heaters.

Floor surface. Every toilet room floor shall be maintained to be a smooth, hard, nonabsorbent surface to permit such floor to be easily kept in a clean and sanitary condition.

Heating facilities required. Dwellings shall be provided with heating facilities capable of maintaining a room temperature of 68 degrees in all habitable rooms, bathrooms and toilet rooms from October 1 to May 15 of the following year. Cooking appliances shall not be used to provide space heating to meet the requirements of this section.

Mechanical appliances. All mechanical appliances, fireplaces, and solid fuel-burning appliances shall be properly installed and maintained in a safe working condition, and shall be capable of performing their intended function.

Electrical. All electrical equipment, wiring and appliances shall be properly installed and maintained in a safe and approved manner.

Receptacles. Every habitable space in a dwelling shall contain at least two separate and remote receptacles. Every laundry area and bathroom shall contain at least one ground fault circuit interrupter receptacle. All kitchen counter top receptacles shall be ground fault circuit interrupter receptacles.

Luminaries. Every habitable room, hall, interior, stairway, toilet room, kitchen, bathroom, and laundry room shall contain at least one electric light.

Smoke alarms. Smoke alarms shall be installed and maintained in all dwellings, regardless of occupant load at all of the following locations:

1. On the ceiling or wall outside of each separate sleeping area in the immediate vicinity of these areas.
2. In each room used for sleeping purposes.
3. In each story within a dwelling unit, including basements and cellars but not including crawl spaces and uninhabitable attics.

Carbon monoxide alarms. Carbon monoxide alarms shall be installed within 15 feet of all sleeping areas and one per floor or story.

Heat Detectors. Heat detectors are required to be installed in attached garages.

Power source. Smoke and CO alarms are permitted to be solely battery operated in buildings where no construction is taking place. In the event a dwelling is under renovation, alarms shall receive their primary power from the building wiring and shall be equipped with a battery backup.



Community Development Department

111 N. Michigan Ave., Bradley, IL 60915

Phone 815-933-5008 Fax 815-933-5068

www.bradleyil.org

Village of Bradley **Property Maintenance Code**

Exterior of Structure and Property Areas

Sanitation. All exterior property and premises shall be maintained in a clean, safe and sanitary condition. The occupant shall keep that part of the exterior property which such occupant occupies or controls in a clean and sanitary condition. This also includes alleys.

Sidewalks and driveways. All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair and maintained free from hazardous conditions.

Weeds. All premises and exterior property shall be maintained free from weeds or plant growth in excess of 8 inches. This also includes alleys.

Rodent harborage. All structures and exterior property shall be kept free from rodent harborage and infestation. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health.

Accessory structures. All accessory structures, including detached garages, sheds, fences and walls, shall be maintained, structurally sound and in good repair.

Parking. All vehicles, camping trailers, pick-up campers, recreational vehicles, trailers, etc. shall be parked on an approved surface (concrete, pavers or asphalt) of not less than 9 by 18 feet. Contact Bradley Police for commercial and recreational vehicle parking requirements.

Motor vehicles. Except as provided for in other regulations, no inoperative or unlicensed motor vehicle shall at any time be in a state of major disassembly, disrepair, or in the process of being stripped or dismantled except in an enclosed structure designed and approved for such purposes. Painting of vehicles is prohibited in residential districts.

Swimming pools. Swimming pools shall be maintained in a clean and sanitary condition, and in good repair. Swimming pools, hot tubs and spas, containing water more than 24 inches in depth, shall be completely surrounded by a fence or barrier at least 48 inches in height with self closing gates.

Protective treatment. All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective coverings or treatments. Peeling, flaking or chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints shall be maintained weather resistant and water tight.

Premises identification. Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. Minimum number height is 4 inches.

Structural members. All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.

Foundation walls. All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

Exterior walls. All exterior walls shall be free from holes, breaks and loose or rotting materials; and maintained weatherproof and properly surface-coated where required to prevent deterioration.

Roofs and drainage. The roof and flashings shall be sound, tight and not have defects that admit moisture. Roof drainage shall be adequate to prevent dampness or deterioration of the walls or interior portion of the structure. Gutters and downspouts shall be maintained in good repair and free from obstructions.

Stairways, decks, porches and balconies. Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads. Every handrail and guardrail shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.

Chimneys. All chimneys, and similar appurtenances shall be maintained structurally safe and sound, and in good repair.

Window, skylight and door frames. Every window, skylight, door and frame shall be kept in sound condition, good repair and weather tight. All glazing materials shall be maintained free from cracks and holes. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.

Insect screens. Every window shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch and every screen door used for insect control shall have a self-closing device in good working condition.

Doors. All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Exterior doors shall be equipped with a deadbolt lock designed to be readily openable from the side from which egress is to be made without the need for keys, special knowledge or effort and shall have a bolt throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, a sliding bolt shall not be considered an acceptable deadbolt lock.

INTERIOR STRUCTURE

General. The interior of a structure and equipment therein shall be maintained in good repair, structurally sound and in a sanitary condition. Occupants shall keep that part of the structure which they occupy or control in a clean and sanitary condition.

Structural members. All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

Interior surfaces. All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected.

Stairs and walking surfaces. Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair. Every handrail and guardrail shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every interior flight of stairs having four or more risers shall have a handrail on one side of the stair and every open portion of stair, landing, balcony, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have balusters. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the finished floor of the landing or walking surfaces. Guardrails shall not be less than 30 inches high above the floor of the landing, balcony, ramp or other walking surface.

Interior doors. Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.

Infestation. All structures shall be kept free from insect and rodent infestation. All structures in which insects or rodents are found shall be promptly exterminated by approved processes that will not be injurious to human health. After extermination, proper precautions shall be taken to prevent re-infestation. The owner of any structure shall be responsible for extermination within the structure prior to renting or leasing the structure.